Paper for Consideration by ENCWG4

The Proposal to create a new ENC distribution protocol

Submitted by:	Maritime Safety Administration, China
Executive Summary:	It is proposed to create a new ENC Distribution Protocol in the S-100 Standards
Related Documents: Related Projects:	S-63、S-100、S-101

Introduction / Background

Within a geographical area or voyage, multiple sets of electronic navigational charts (ENC) may be available from different Data Service Providers (DSPs) such as hydrographic offices(HOs), or regional electronic navigational chart centres (RENCs), or value-added resellers (VARs) etc. However, the quality, updating frequency and price of their products often differ from each other. Recently, many ENC users have reported to the China Maritime Safety Administration(MSA)that they were looking for a way to select their favourite ENC dataset from these different sources based on the "comparative shopping" principle. At the same time, the users also prefer the process of selecting, ordering, and installing of ENC from different data sources to be designed as convenient as possible; and without the need to handle the process separately for each DSP.

In 2018, China MSA in conjunction with someENC distribution agents (agents) conducted a trail on the user's requirement and revealed that the existing ENC related standards could not meet the afore-mentioned requirements for ENC subscription service. In this regard, China MSA would like to have this service be considered when preparing the standard of the relevant S-100 products, and to take one step further, a new standard could be designed and included for this purpose.

Analysis/Discussion

In fact, some agents have been distributing ENCs that come from multiple HOs or RENCs at the same time. Theoretically, these agents can fulfil the "comparative shopping" principleas required by the ENC users. However, as different HOs or RENCs have different ENC ordering channels and individual S-63 ENC installation packages, these agents inevitably follow the most basic process to provide their service as follows: -

- Agents would first provide the information of ENCs to users obtained from the ordering systems of HOs or RENCs;
- Users would then compare the ENCs from different sources and make subscription plan to the agents;
- Agents would then order the ENCs according to the user's subscription from the ordering systems of respective HOs or RENCs to obtain installation packages; and
- Users would finally load the installation packages into ECDIS one by one.

Obviously, this is a very tedious process and the users are looking for a more intuitive and convenient way to carry out their subscription process. They expect:

• Users could access and compare all the ENCs available for ordering in one single channel for their subscription plan, regardless of the data sources, similar to ordering through one DSP.

• The number of the subscripted ENC installation package should be as small as possible, and the number of data installations should be kept to the minimum. Ideally, the loading of the installation packages into ECDIS could be carried out in one go, similar to loading data from only one DSP.

In the course of the trial, it found that the expectation of the users as mentioned above could be fulfilled by modifying the ordering system of the agents. Agents could then provide users with a unified and simple ENC subscription interface, and order S-63 encrypted ENC from different DSPs for the users. In practice, the major obstacles we encountered were: -

- Different DSPs have different interfaces for their ENC ordering systems, while some do not even have an online ordering system in place. Thus, efforts are required to design a service call program for each DSP to read and integrate information of ENCs from different sources (such as the ENC coverages, chart scale, unit price, etc.), S-63 encrypted data and permits, and the exchange of ENC subscriptions information.
- All ENC data and permits from different DSPs have to be combined into one installation package. It is obvious that the current standard (mainly on S-63) does not support such operation.

Conclusions

To address the first obstacle above, we have to follow the interface standards of the online chart ordering system of respective DSPs. We integrated these dispersed services and information into one chart ordering system of unified interface. Users could then appraise all the ENC information from different sources through a single platform and complete their subscription orders by means of route filtering and other tools. The system would subsequently split the user's order against according to data sources and submit them to the respective DSPs automatically.




Fig.1 Integrated Multiple Source ENC Information Interface

-10	0.000											
									1		a .	# <u>1</u>
14-AUR												
PBD PARE	0.08	(9)	10 % (LED)	90008		790	798h	408	100	1946 (1440)	¥1599	8
1919000 (Despite) Asc to Danglarg	11		2110	直	1.0	1202318	10.038.04	6		7.00	1	
1213000 Changilang Kale to Minjiang Ka	u U.	-	33.10	面	2.6	NUMBER	HIDSHI	6	-	7.00	直	
1312102 Last Gaing To Hoatine Shot	12	18	2210	1	5.5	NAME	RECENT	6		7.00	自	
1413113 Austen Net Of Daugiang K	ai 10:		21.10	Ē	4.6	NAME	LARCENET-I	6	-	7.00	1	
1412179 Toolfers Part Of Changing R	- t <i>i</i>		23.16	Ē	3.0	11444114	上来老北京的第三日	6	-	ALC: NOT	Ē	
1111111 Changing Kes Erich Duider	10	. 4	34.10		5.0	10404123	上来老礼律的第三)	 O 	1	7.08		
1313121 Waxeng Kna To Xielus Gaug	tit.	-	25.10	11	1 1	redait the	BARENJE	611	-1	V/RE	1	
1919179. Changiangkon Reipung Nange	m 17.	- 1	23.10	18T	3.1	riaccia.	Telow See	10	-	10.85	10	
13131811 Watering Kota Mandri	11	9	25.10	181	0.0	riányó	Adjacent Sear of Japan 10	10.2	-	10.40	前	
PTACEJA Velice Sea	12	~	10.80	前	10.0	100411	Adjacent State of Japan 11	12	-1	10.60	前	
#14#V0 Adjecent Gess of Japan 10	12	1.10	15.00	TEL	11.1	POHPV0	East China San 4	10		10.49	前	
F14000 Adjustet Sear of Japan 11	u	. 4	19.80	(E)	12.7	1248740	East Over Seg 5	12	1	10.80	1	
P04PV0 East Chiva Tau #	12	. *	10.80	面	12.0	1244030	Exit Ofine See 8	12		10.80	南	
F24990 Bart Cleve Sex-5	ш	×	13.00	TÊT .	14.5	1541000	Nantai Shote 28	Ω.	1	10.80	13	
P249300 East Chine Lea 6	u		10.00	(E)	19.3	1044004	Nantai Shino 30	10		10,40	間	
PS41000 Namual Direts 29	12	- 4	10.00	Ē	16.0	9941008	Naroal Stote ST	12.1	-	10.80	官	
P(HIGOX -Neurol Dicto 30	12	- 14	10.00	面	0.4	110000	Rejublic of Kanes	10	-	10.80	自由	
PoleGIN Meneel Ducks 21	12	. 4	10.40	面	18.4	F163580	Republic of Karwy	12		104d	1	
R1/0000 Republic of Kones	12.		15.40	E.	19-1	9000158	Southern Part of Koree	(a .	-	HOURD	Ē	
GNR0000 Republic of Korea	42	-	15.40	B	28.4	Rietono	Earea Graff to Lawrence Was	12	-	10.80	南	
R82000 Southern Part of Karpe	17.		19.60	11								
RGK1000 Kurna Rinali to Sammen Wate	u.		15.40	Ē								

Fig. 2 – The creation of multiple orders for a voyage (left) using a single DSP and (right) based on the "most economical" criterion

To address the second obstacle, we have devised a way to integrate the data and permits from different DSPs such that the users could use the ENC data as if they are from a single source. Specifically, the method is to replace the ID of the DSPs in the "SERIAL.ENC" and "PERMIT.TXT" files of the S-63 IHO Protection Scheme with a two-character Distributor ID. The "Catalog.031" files, data sets and permits from different DSPs of the same period would then be merged without hampering the integrity of the chart data files, its signature files and the permits file encrypted portion. The processed package could then be loaded normally into ECDIS and it is backwards compatible with the present protection scheme. We believe that this approach would not undermine the copyright agreement and there are no data security risks. However, these two assumptions need to be extensively discussed.



Fig. 3 Amendment of the Permit.txt file, the original Data Server ID was replaced by the Distributor ID (RY) and moved to the Comments section

ENC Up	f Report:	oce Date	: 21 Dec	800K 1638226 : 2018 : TE49/3 : 2019	018		
Chart	Status Summ	ury:					
Chart Iotal :	Status:	Ci	unt 17				
	date:		17 17/17				
Not Tp	to date:		0/17				
Fi thươ Epicace			0/17 0/17				
12,010	18.						
No.	Cell Name	Edition	Update	Issue Date	Status	Data Serve	Z
1	CN202308	2	2	02.Dec 2018	Up to date	RY	
2	CNU44001	12	10	03 Dec 2018	Up to date	RY	
	CN344001 CN444126	12 33	10 1	03 Dec 2018 18 Nov 2018	Up to date Up to date	RY RY	
2							
2 3	CN444125	33	1	18 Nov 2018	Up to date	RY RY	
2 3 4	CN444126 CN444131	33 4	1 0	18 Nov 2018 20 Nov 2018	Up to date Up to date	RY RY	
2 3 4 5	CN444126 CN444131 CN444132	13 4 7	1 0 2	18 Nov 2018 20 Nov 2018 09 Nov 2018	Up to date Up to date Up to date	RY RY RY	
2 - 4 - 6	CN444126 CN444131 CN444132 CN444132 CN444133	13 4 7 19	1 0 2 1	18 Nov 2018 20 Nov 2018 09 Nov 2018 11 Nov 2018	Up to date Up to date Up to date Up to date	RY RY RY RY	
2 3 4 5 6 7	CN444126 (N444131 CN444132 CN444133 CN444133	13 4 7 19 27	1 0 2 1 3	18 Nov 2018 20 Nov 2018 09 Nov 2018 11 Nov 2018 24 Nov 2018	Up to date Up to date Up to date Up to date Up to date	RY RY RY RY	
2 3 4 5 6 7 8	CN444126 (N444131 CN444132 CN444133 CN444134 IP14JFV0	13 4 7 19 27 9	1 0 2 1 3 3	18 Nov 2018 20 Nov 2018 09 Nov 2018 11 Nov 2018 24 Nov 2018 30 Nov 2018	Up to date Up to date Up to date Up to date Up to date Up to date	RY RY RY RY RY	-

Fig. 4 The Update Status Report of an ECDIS after loading the integrated ENC package

Based on the fact that we have not yet been able to fully parse the S-100 standard data, we have illustrated the results of the S-63 standard and the ECDIS software that meets the requirements of the S-57/63 standard. In fact, the IHO S-100 ed 4.0.0 Part 15 standard for chart data encryption is similar to IHO S-63, the above proposal also applies to S-100 chart data encryption.

Recommendations

According to the trial result, we are of the view that in order to facilitate agents to provide a more flexible and convenient service, it is recommended to establish a standard for ENC Subscription Service for DSPs. The standard should be leveraged on web service mechanism and based on the S-100 standards for delivering service to end users and agents. The possible interfaces include Catalogue acquisition interface, ENC coverage acquisition interface, user's order submission interface, ENC permits acquisition interface, ENC data acquisition interface, and the user's order query interface etc.

At the same time, we propose that when updating the S-63 standard or establishing its S-10x related standards, consideration should be given to supporting the need of merging ENC installation packages from different data sources. This procedure should be included in the standard after furnishing necessary details. It is believed that this ENC distribution method could be realized by the proposed service standard which would bring in more benefits and convenience to the ENC users and agents.

Action Required of ENCWG4

The ENCWG4 is invited to:

• Note this paper and the recommendation.