

Marine Spatial Data Infrastructures

Fundamentals



IHO

International
Hydrographic
Organization

Marine Spatial Data Infrastructures

Concepts and Definitions



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Why are you here?

Data engineering for reuse
is really hard!

I'm lost in the buzzwords

Too much information

MSDI?
What is it?
What do I do next?

What are the hurdles?

National Commitment

What is data-centric?

Regional Coordination

It's Not My Job!



Danish Geodata
Agency

Definitions

A **“Spatial Data infrastructure (SDI)”** is:

“the relevant base collection of technologies, policies and institutional arrangements that facilitate the availability of and access to spatial data.”

Source: The Global Spatial Infrastructure Cookbook - <https://bit.ly/2HZhGcy>

A **“Marine Spatial Data Infrastructure (MSDI)”** is:

“that element of an SDI that focuses on the marine input [to an SDI] in terms of governance, standards, ICT and content”

Source: IHO C-17 - <https://bit.ly/2JD5NeW>



IHO

International
Hydrographic
Organization

Definitions

Technology

Policy
Governance

Technical
Standards

Data and
Metadata

“The relevant base **collection** of
technologies
policies
institutional arrangements

that

facilitate the **availability** of and **access** to


spatial data”



Users

“Marine Spatial Data Infrastructure (MSDI)”:

MSDI – The focus on marine elements in any SDI
Governance, Standards, ICT and Content



Danish Geodata
Agency





IHO

International
Hydrographic
Organization

The Four Elements of MSDI

MSDI is how these elements work together within an SDI to connect end users to marine geospatial data.






IHO

International Hydrographic Organization

Benefits of MSDI



Fisheries Regulation




Leisure and Tourism




Emergency Planning and Response

- Unlock the economic and environmental power of marine geospatial data
- Provide reusable data to a broader audience for diverse uses
- Break out of a single tightly defined customer group
- Improve marine geospatial data quality and working practices




Coastal Zone Management



Maritime Boundaries
Marine Protected Areas



Dredging planning
and beneficial reuse



Marine
Spatial Planning



Site
Selection



Danish Geodata Agency





IHO

International Hydrographic Organization

What is MSDI?

Without MSDI

With MSDI



A Marine Spatial Data Infrastructure



Regional SDI

National MSDI



Technology



Technical Standards

Policy Governance

Technical Standards

Data and Metadata

Defence



Hydrographic



Scientific



Oceanographic




Terrestrial



Data and Metadata

The MSDI Hierarchy



MSDI can be seen at different levels.



IHO

International
Hydrographic
Organization

Example: New Zealand Geoportals

Technology

Technical
Standards

Data and
Metadata

Policy
and
Governance

The screenshot shows the LINZ DATA SERVICE interface. The main content area displays metadata for a 'Depth area polygon (Hydro, 1:90k - 1:350k)' dataset. The metadata includes a description, S-57 Object Class, S-57 Acronym, a warning that the data is not for navigation, a license section with Creative Commons Attribution 4.0 International terms, and technical details like Layer ID 50447 and Data type Vector multipolygon. The interface also features a search bar, navigation controls, and a map of New Zealand.

Land Information
New Zealand
LINZ DATA SERVICE

Search for data & maps Search Help Sign in

3D Depth area polygon (Hydro, 1:90k - 1:350k)
LINZ / New Zealand Hydrographic Authority

Licence 2508 352 Updated 19 Dec 2018

About Metadata Data Table History Services Comments (0)

A depth area is a water area whose depth is within a defined range of values.
S-57 Object Class: Depth area
S-57 Acronym: DEPARE
This data was compiled for the use in the scale range 1:90,000 to 1:350,000.
THIS DATA DOES NOT REPLACE NAUTICAL CHARTS AND MUST NOT BE USED FOR NAVIGATION.
This data is based on the S-57 data format used in Electronic Navigational Charts (ENCs) published and maintained by the New Zealand Hydrographic Authority at Land Information New Zealand (LINZ). Refer to the following link for information about S-57 data: www.linz.govt.nz/hydro/regulation/

Licence
Creative Commons Attribution 4.0 International
 You may use this work for commercial purposes.
 You must attribute the creator in your own works.

Information
Category [Hydrographic & Maritime > Coastal Charts \(1:90k - 1:350k\) > Marine Features](#)
Tags [New Zealand](#)
Regions [Oceania](#)
Metadata [ISO 19115/19139, Dublin Core](#)

Technical Details
Layer ID 50447
Data type Vector multipolygon



IHO

International Hydrographic Organization

Example 2: SHOM portal

Technology

The screenshot shows the SHOM portal interface. At the top, there is a blue header with the SHOM logo and the text "L'océan en référence" and "DATA.SHOM.FR Information géographique maritime et littorale de référence". On the right of the header are links for "Contact us | Help | FR | EN". Below the header is a "Shom catalog" panel on the left, which is divided into three tabs: "Master data", "Oceanographic forecast", and "Coastal observations". The "Master data" tab is active, showing a list of data items with checkboxes and gear icons for settings. The items include "Charts", "Maritime boundaries", "Maritime and Coastal database", "Coastal altimetry", and various Lidar and Litto3D datasets from different regions like Corsica, Normandy, French Polynesia, and Brittany. To the right of the catalog is a large bathymetric map of a coastal area, showing depth contours in shades of blue and green. At the bottom of the map, there are coordinates (WGS84: 42° 35' 49.68" N, 9° 31' 40.11" E), a "Legal notice and warnings" link, and a scale of 1 : 27 084. At the bottom right, there are several logos of partner organizations.

Technical Standards

Data and Metadata

Policy and Governance

What SDI and MSDI “isn’t”



Not an IHO initiative




This site can't be reached

www.msdi.com took too long to respond.


[Search Google for msdi](#)

ERR_CONNECTION_TIMED_OUT

Not a website



Not a “product”



Not a Format



IHO

International
Hydrographic
Organization

MSDI policy development

Policy
and
Governance

- To establish MSDI a policy and governance framework should define the need to create information that is interoperable
- Policy and Governance should:
 - Sets the vision and goals of the MSDI and
 - Define the responsibilities of participating institutions
 - Resource the work necessary to establish and maintain the MSDI
 - Define which institution is authoritative for each domain
- Policy is often linked to a regional, national or organizational strategies
- Policies can vary significantly between different states
 - Often the most difficult hurdle to establishing MSDI
 - No fixed format, standard or process for policy development
 - IHO publication C-17 contains best practice guidelines for Hydrographic Offices

Areas considered within policy

- Privacy
- Licensing
- Intellectual Property
- Authenticity
- Data Security
- Data quality
- Data integration
- Data Archiving
- Open Data
- Copyright and Licencing




Danish Geodata
Agency

- MSDIWG - The IHO's working group with the objective of supporting activities relating to SDI and MSDI.
- Also links to OGC Marine domain working group (MDWG)
- Publishes IHO C-17, "a guide to establishing the role of the national hydrographic authority in MSDI"
- Contains much advice on formulating policy, governance and implementation of MSDI
- IHO C-17 also contains much information on the other MSDI elements

Technical
Standards

Data and
Metadata

Technology





IHO

International
Hydrographic
Organization

Business models for delivery of MSDI

Policy
and
Governance


- MSDI can be costly to implement at a national scale
- MSDI Funding models vary
 - Funded publicly funds, nationally or regionally
 - Funded by revenue from products and services
 - Private sector or hybrid vehicles
- MSDI Policy and Governance
 - Should put in place a sustainable business model
 - Provide a remit for creation of reusable data
- Long-term planning for MSDI is a frequent challenge.
- Education and engagement with stakeholders is key



Danish Geodata
Agency

Technologies for MSDI

Technology




“Publish” – “Find” – “Bind”

Technology

Technical
Standards

Data and
Metadata



1. Providers publish metadata of their services
2. Providers author and publish content
3. Users search and discover results
4. Users consume data from the providers.




IHO

International Hydrographic Organization

Web Services for MSDI

Technology



Data and Metadata

Technical Standards



IHO

International
Hydrographic
Organization

Marine Technology Advances

Technology

Sensors:

- Increase in power, decrease in price
- Scale of sensors for marine survey
- LIDAR, AIS, Satellite imagery
- Handheld positioning

Crowdsourcing:

- Volunteered geographic information now realistic, reliable and usable by many agencies
- Changes role of some agencies.
- Tools have revolutionised the concept. OpenStreetmap, Waze, Google Maps



Big Data, Data Science and Machine Learning:

- Emerging in geospatial technologies
- Could have tremendous impact on data manipulation, compilation and search/retrieval
- Data science will enable “information” exchange rather than just data.

Computing Power:

- Computing Power and connectivity have dramatically increased
- Cheap access to high powered, cloud based databases and mainstream geospatial technology
- Convergence of hydrography with GIS



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Technical Standards

Technical
Standards

- Definitions
- The Standards world
- MSDI and standards
- Important Standards for:
 - Content
 - Encoding / Format
 - Exchange
 - Validation
 - Quality
 - Metadata



Data and
Metadata



Danish Geodata
Agency

Standards are technical documents that detail interfaces or encodings (OGC).

Software developers, cartographers and data engineers use these documents to build their products and services.

Standards span the collection, management, publication and use of geospatial data

Key to MSDI are open standards and standards interoperability

Open Standards can be used by anyone at little or no cost

Interoperability is being able to combine data and services from different sources without requiring specific efforts of humans or machines



IHO – a detailed set of standards for content and distribution of marine geospatial data

Technical Standards



OGC – a leading organisation developing open geospatial standards

ISO – define overarching global standards for all geospatial data

Global Standards Organisations for MSDI



IHO

International
Hydrographic
Organization

Why are standards key to MSDI success?

- Standards are agreements that make it easier for systems to publish, access, share and use data
- MSDI exists to connect end users to many diverse sources of marine content
- MSDI success at a technical level needs:
 - A way of communicating content to many users as efficiently as possible [**Web Services and Open Standards**]
 - A way of ensuring MSDI users can use data from many sources without building bespoke systems [**Interoperability**]

Technical
Standards



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

MSDI and the role of IHO S-100

Technical
Standards

S-100 is a fundamental standard for MSDI:

- A universal standard for encoding marine geospatial data
- Derived from ISO19100 standards – for interoperability
- Open – free for all to use and implement
- Extensible – all marine domains (including MSDI) can represent their data
- IHO Geospatial Registry of defined features



Danish Geodata
Agency





IHO

International Hydrographic Organization

The structure of S-100

Technical Standards



S-100 - Overall Standard

- S-100 Product Specifications
- Use parts of S-100 within a particular domain
 - Define data model, features and attributes
 - Metadata, geometry and identifiers

Feature Catalogues

IHO GI Registry

GI Registry – Definition of feature content



IHO


International
Hydrographic
Organization

S-100 product specifications for MSDI

Technical
Standards

Example Product Specifications useful for MSDI

- Electronic Navigational Charts (S-101)
- Maritime Limits and Boundaries (S-121)
- Maritime Protected Areas (S-122)



Danish Geodata
Agency

Marine standards evolution

- Global standards for marine data continue to evolve:
 - S-100 and its product specifications
 - OGC standards for web services
- OGC Web Services Application Programming Interfaces (APIs) show how institutions can implement MSDI
- Using existing open standards and technologies means institutions can focus on engineering content to facilitate reuse

Example: Using OGC standards

Technical Standards

Data and Metadata

Technical Standards

Maritime limits and boundaries

Updated: a year ago

The product "Maritime limits and boundaries" (French: "Délimitations maritimes") gathers all the elements used for the definition of the maritime spaces under the French sovereignty or jurisdiction through the world. Those spaces are defined by the Ordonnance n° 2016-1687 of 8 December 2016 relating to maritime spaces under sovereignty or jurisdiction of the French Republic. This ordonnance is the transcription in the French legislation of the United Nations Convention on the Law of the Sea (UNCLOS) which was signed in Montego Bay (Jamaica) on 10 December 1982 and ratified by France on 11 April 1996.

These elements of maritime limits and boundaries come from the limits computed by Shom on the basis of International Law, from the international agreements relating to maritime boundary and the technical conventions ratified between France and other States, from the decisions of international juridical bodies, from the recommendations of the Commission of the Limits of the Continental Shelf (UNO) or from unilateral claims from France in the absence of agreement.

The elements are divided into seven themes:

- 1- Straight baselines
- 2- Outer limits of the territorial sea (12 nautical miles)
- 3- Outer limits of the contiguous zone (24 nautical miles)
- 4- Outer limits of the exclusive economic zone (200 nautical miles)
- 5- Maritime boundaries established by a bilateral agreement or decided by an international juridical body
- 6- Maritime boundaries unilaterally claimed by France in the absence of agreement
- 7- Outer limit of the continental shelf beyond 200 nautical miles

Download and links

	Visualisation des délimitations maritimes	<input type="button" value="Open link"/>
	Délimitations maritimes - WMS Vecteur (avec attributs)	<input type="button" value="Add to map"/>

This dataset is published in the view service (WMS) available at <https://services.data.shom.fr/INSPIRE/wms/?service=WMS&request=GetCapabilities&version=1.3.0> with layer name **DELMAR_BDD_WMSV**.

Spatial extent



Temporal extent

Revision date
2019-01-08

Provided by




L'océan en référence

Share on social sites

What is “Data”?

Data and Metadata

- Data is the “Content”
 - Regardless of container or format
- Metadata – is data about data
- Information is the “useful” part of data
- Data is not the same as “Products”



Nutrition Facts	
Serving Size ½ cup (114g)	
Servings Per Container 4	
Amount Per Serving	
Calories 90	Calories from Fat 30
% Daily Value*	
Total Fat 3g	5%
Saturated Fat 0g	0%
Cholesterol 0mg	0%
Sodium 300mg	13%
Total Carbohydrate 13g	4%
Dietary Fiber 3g	12%
Sugars 3g	
Protein 3g	
Vitamin A 80%	Vitamin C 60%
Calcium 4%	Iron 4%
* Percent Daily Values are based on a 2,000 calorie diet. Your daily values may be higher or lower depending on your calorie needs.	
Calories: 2,000 2,500	
Total Fat	Less than 65g 80g
Sat Fat	Less than 20g 25g
Cholesterol	Less than 300mg 300mg
Sodium	Less than 2,400mg 2,400mg
Total Carbohydrate	300g 375g
Dietary Fiber	25g 30g
Calories per gram:	
Fat 9 • Carbohydrate 4 • Protein 4	




IHO

International
Hydrographic
Organization

Marine geospatial data content

Data and
Metadata

Vector Data: "Things"



```


LIGHTS:
{
  CATLIT = 6
  COLOUR = 3
  INFORM = More than one
  SCAMIN = 59999
}
geometry:
{
  id = 6E42010000 [-40.5,36.2]
  ornt = null
}

```

Raster Data and Imagery



Bathymetry: Point Clouds and Surveys



Technical
Standards

Standards for data format
 Vector: IHO S-57, S-100
 Raster: geoTIFF, PNG, HCRF
 Bathymetry: LAS, IHO S-102

A collection of **features**
 with **attributes** and **geometry**.

Danish Geodata
 Agency





IHO

International Hydrographic Organization


Example content: IHO S-57

Data and Metadata

- Very common MSDI dataset
- IHO S-57 product specification for Electronic Navigational Charts primarily designed for SOLAS navigation
- Features are collected into logical groups
- Also specifies important metadata

Standards provide detailed guidance on defining content

Technical Standards





IHO

International
Hydrographic
Organization

Metadata and MSDI

Data and
Metadata


- Metadata is Information about datasets
- Published “discovery” metadata is how MSDI users “find” the data they are searching for and establish its authenticity
- For the MSDI community standardized, populated, comprehensive metadata is crucial to success.
- Collection of metadata facilitates good data management and has benefits beyond MSDI applications

Technical
Standards

Metadata content is Standardised

Standards exist at different levels, e.g.

- International
- Regional
- National



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Different kinds of metadata

Data and
Metadata

- Metadata provides information about data holdings in catalogue form
- Key to MSDI user searches
- Reporting descriptive metadata is essential to promote geospatial data beyond traditional boundaries
 - Discovery metadata - What data sets hold the data I want?
 - Exploration metadata - Do the datasets contain information for my purposes?
 - Exploitation metadata – How do I obtain and use the data?



Danish Geodata
Agency

Standards for Metadata



- ISO19115 : a popular industry standard for metadata
 - “ [ISO19115] provides information about the identification, the extent, the quality, the spatial and temporal aspects, the content, the spatial reference, the portrayal, distribution, and other properties of digital geographic data and services.” ISO/TC211



- Dublin Core Metadata Initiative - open organization supporting innovation in metadata design and best practices across the metadata community



- FGDC (US) enables access to national SDI data through Content Standard for Digital Geospatial Metadata (CSDGM).

NOAA ISO19115 metadata

```
<!-- == CI_DateTypeCode == -->
<<codeListItems>
  <<CodeListDictionary gml:id="CI_DateTypeCode">
    <gml:description>identification of when a given event occurred</gml:description>
    <gml:identifier codeSpace="ISOTC211/19115">CI_DateTypeCode</gml:identifier>
    <<codeEntry>
      <<CodeDefinition gml:id="CI_DateTypeCode_creation">
        <gml:description>
          date identifies when the resource was brought into existence
        </gml:description>
        <gml:identifier codeSpace="ISOTC211/19115">creation</gml:identifier>
      </CodeDefinition>
    </codeEntry>
    <<codeEntry>
      <<CodeDefinition gml:id="CI_DateTypeCode_publication">
        <gml:description>date identifies when the resource was issued</gml:description>
        <gml:identifier codeSpace="ISOTC211/19115">publication</gml:identifier>
      </CodeDefinition>
    </codeEntry>
    <<codeEntry>
      <<CodeDefinition gml:id="CI_DateTypeCode_revision">
        <gml:description>
          date identifies when the resource was examined or re-examined and improved or amended
        </gml:description>
      </CodeDefinition>
    </codeEntry>
  </CodeListDictionary>
</codeListItems>
```



IHO

International
Hydrographic
Organization

Broader Use of Marine Geospatial data



IHO

International
Hydrographic
Organization

Part 2 – Broader Use of marine geospatial data

Contents:

- The MSDI ecosystem:
 - The global, regional and national drivers which support MSDI development
- What MSDI means for end users
 - Broader use of marine geospatial data by MSDI user
- What MSDI means for participants
 - Transforming marine geospatial data agencies into MSDI participant



IHO


International
Hydrographic
Organization

The MSDI ecosystem.




Danish Geodata
Agency

MSDI doesn't happen in isolation





14 LIFE BELOW WATER



SDG 14 TARGETS:

- 14.1** By 2025, prevent and significantly reduce marine pollution of all kinds
- 14.2** By 2020, sustainably manage and protect marine and coastal ecosystems to avoid significant adverse impacts
- 14.3** Minimize and address the impacts of ocean acidification, including through enhanced scientific cooperation at all levels
- 14.4:** By 2020, effectively regulate harvesting and end overfishing, illegal, unreported and unregulated fishing and destructive fishing practices
- 14.5:** By 2020, conserve at least 10 per cent of coastal and marine areas
- 14.6** By 2020, prohibit certain forms of fisheries subsidies which contribute to overcapacity and overfishing, eliminate subsidies that contribute to illegal, unreported and unregulated fishing
- 14.7** By 2030, increase the economic benefits to Small Island developing States and least developed countries from the sustainable use of marine resources





IHO, OGC, UN-GGIM and MSDI



Marine Domain Working Group

Marine Geospatial Information Working Group





IHO

International
Hydrographic
Organization

UN-GGIM MGIWG



- In 2017 UN-GGIM, established the Working Group on Marine Geospatial Information
- Objectives:
 - Play a leading role at the policy level
 - Encourage the use of internationally agreed-upon information frameworks, systems and established standards
 - Support the UN Committee of Experts in development of principles, guides and standards to increase the availability of high-quality, timely and reliable geospatial information



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

What does MSDI mean
for end users.




Danish Geodata
Agency



IHO

International Hydrographic Organization

User Benefits of MSDI



Fisheries Regulation




Leisure and Tourism




Emergency Planning and Response

- Unlock the economic and environmental power of marine geospatial data
- MSDI provides reusable data to a broader audience for diverse uses




Coastal Zone Management



Maritime Boundaries
Marine Protected Areas



Dredging planning and beneficial reuse



Marine Spatial Planning



Site Selection



Danish Geodata Agency



IHO

International
Hydrographic
Organization

Case Studies (EU EMODnet)

<https://bit.ly/2LID63i>



New sea cage designs for fish farming

Requires:

- Hydrographic
- Geological
- Water column
- Meteorological
- Biological



Coastal Erosion across Europe.

Requires:

- Detailed historical meteorological data
- Tide and current flows
- Water temperature
- Detailed coastal bathymetry

Siting and protection of offshore wind cables:

Protection from recreational craft, sand waves, rocks, dredging

Requires:

- Seabed type
- Bathymetry
- Historical installations
- Ambient temperature conditions



Technical
Standards

Data and
Metadata



Danish Geodata
Agency

Marine Spatial Planning



“The process of analyzing and allocating the spatial and temporal distribution of human activities in marine areas to achieve ecological, economic, and social objectives”



Brings together users to make informed and coordinated decisions about how to use marine resources sustainably.



IHO

International
Hydrographic
Organization

What does MSDI mean
for participants.



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Being part of an MSDI



- Being a data supplier
 - Creating data suitable for reuse by many participants
- Supplying data
 - Ensuring policy is in place for reuse
 - Cataloguing
 - Creating metadata
 - Using open standards
- “Facilitating Access”
 - Through geo-portals



Danish Geodata
Agency

- Vital to define a policy for reuse of data by MSDI users
- Policy and Governance
 - Defines how data can be re-used for various purposes, responsibilities, pricing, coverage and content
- Many differences between individual institutions, states and regions
- Must support business model

2.3.3 Policy and legislation on access to and re-use of public sector information (PSI)

The legal basis for access to public information is the Government Information Public Access Act of 31 October 1991. This act replaced the Act on Public Access to Information of 9 November 1978. It creates a presumption that documents created by a public agency should be available to everyone. The law provides for access to information that is crucial in the decision making process of the administration. The price to be paid for this information is based on dissemination cost. It is reasoned however that the electronic geographic data cannot be obtained through a request based on this Act. Government agencies can claim copyright or database right on their data and most of them do so. Moreover, citizens or businesses cannot access entire databases because - according to current interpretation- the Government Information Act does not apply to complete databases.


Example: Dutch framework



IHO

International Hydrographic Organization

Transforming a Marine Geospatial Agency




Survey and Acquisition

Other Sources


Processing Storage

Archival




Compilation Update Product Generation

Reprocessing



Purpose built Products



Re-Use



Re-Use



Re-Use



Danish Geodata Agency



IHO

International
Hydrographic
Organization

“Products–centric” features in data

Data and
Metadata

- Examples from Hydrographic ENC data
- “Product-centric” features found:
 - Sparse shoal-biased bathymetry
 - Paper chart specific encodings
 - Borders between features at chart boundaries
 - Non integrated vertical datums
 - Cartographic judgement e.g. “obstructions”, “dangerous” wrecks
 - “INFORM” – text recording of unclassifiable data and attribution.
 - Non-uniform compilation scales – aimed at defined paper sizes.
 - Inconsistent generalisation rules.
- These features affect the reuse of the data by MSDI participants



If I pick data within a point of 1km are the borders included?

If I do get borders do the edges match?



Danish Geodata
Agency

Data-Centric working

Data for MSDI must be as reusable as possible

- Multi-purpose
- Interoperable

Creating data for re-use is a challenge.

- Can take a long time
- Can be a fundamental shift for agencies

Data-Centric working is a central focus on data within an organisation.

Transformation into a data-centric organisation requires

- Cultural change
- Technology development
- Planned data engineering and transformation



IHO

International
Hydrographic
Organization

Implementing MSDI: Benefits

MSDI can benefit non-MSDI goals too:

- Data quality
 - Seamless data matches features across product boundaries
 - Improved vertical and horizontal consistency of data, better generalisation rules
 - Consistency of attribution across datasets
- Metadata focus
 - Focus on comprehensive catalogues and well documented data definitions
 - Metadata collection helps improve data management and increases efficiency of update processes
- Data-Centric working
 - Data-centric methodologies are at the centre of emerging Big Data, Machine Learning and Data Science technologies
- Encourages cooperation between agencies
 - Reduces duplication of effort in data collection



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

What now? An example plan for MSDI

Policy and Governance

- Define policies for technology, standards and content to promote interoperability and reuse.
- Ensure the right team are in place to deliver MSDI
- Define business model so that MSDI can be delivered as part of organisation's mission
- Define and promote the organisation's part in the national, regional and global infrastructure.

Technical Standards

- Audit current standards in use
- Assess standards within the technical infrastructure
- Assessment of standards with closest partners and likely MSDI users
- Define a roadmap for interoperability and reuse using best practice standards.
- Define upgrade plan where required

Technology

- Define a technical architecture for the delivery of data to all users
- Make sure MSDI best practices are followed. Use national and regional best practices
- Design infrastructure that can be updated and upgraded as the MSDI evolves

Data

- Data Audit - What data is held? Evaluate completeness, consistency and metadata.
- Overlaps/duplication with other stakeholders?
- How ready for re-use is the data? What needs to be done. Compile action plan for data content.
- Is the organisation data-centric? What steps should be taken?



Danish Geodata
Agency



end

“
Data is the new oil”
Clive Humby



Selected Exercises

- Institutional Responsibilities for the Coastal Zone
- Analysis of a marine plan and its sources
- Labelling of MSDI access points
- of participant's MSDI




IHO

International
Hydrographic
Organization

Institutional Responsibilities for the Coastal Zone

- Construct a map of national institutions responsible for the coastal zone.
- Who is responsible for Data collection? Processing? Dissemination? Who are the primary customers?
- Are there duplicate responsibilities? Could the network be improved?
- Is there an existing MSDI?
- How does MSDI help?



Danish Geodata
Agency



IHO

Internati
Hydrogr
Organiza



Challenge – think about the coast!

e.g.

- Environmental protection
- Maritime Efficiency
- Emergency response

	Issues	Challenges
Coast	<ul style="list-style-type: none"> • Complex physical and institutional relationships • Hazardous regions • Conflicting uses, activities and interests • Contributions to socio-economic development • Integration with coast/marine • Data Gaps over coastal zone 	<ul style="list-style-type: none"> • Harmonised, universal access • Capacity building and funding • Security and privacy issues • Encouraging cooperation and culture for spatial data reuse
Land	<ul style="list-style-type: none"> • Interoperability • Institutional arrangements 	<ul style="list-style-type: none"> • Copyright, ownership, privacy and licencing • Pricing and cost recovery
Marine	<ul style="list-style-type: none"> • Dynamic, temporal data • Lack of framework for accessing and sharing • Different level of accuracy, precision and consistency • No description for legislative boundaries • Inconsistent metadata • Institutional arrangements 	<ul style="list-style-type: none"> • Building partnerships • Privacy and sensitivity

- Presents many good examples of issues
- Frequently an interface between national agencies
- Data models likely to differ significantly
- Metadata representations
- Temporal nature of data



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Marine Plan Analysis

- Take a published Marine plan (or similar)
- Locate and analyse the geospatial data it uses
- Make a list detailing
 - What data is used?
 - Where it came from?
 - Was it compiled for the purpose of the plan?
 - Is it suitable?

Riailtas na hÉireann
Government of Ireland

National Marine
Planning Framework
Baseline Report

HM Government

South Inshore and
South Offshore Marine
Plan

July 2018






IHO

International
Hydrographic
Organization

Exercise: Data design for reuse

What aspects of content (data and metadata) might affect reuse but don't affect primary use?



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Useful Annexes

Extra detail on selected topics



Danish Geodata
Agency

- 1903 GEBCO established (Monaco)
- 1921 IHO established
- 1960 SOLAS convention adopted
- 1968 Roger Tomlinson invents "GIS"

- 1992 Shapefile released
- 1992 IHO S-57 published
- **1993 US publishes**
"Toward a coordinated spatial data infrastructure for the nation"
- 1994 OGC formed
- 1995 European SDI proposed
- 1996 First GSDI conference held
- 1999 Internet on Mobile Phones
- 2000 IHO S-57 frozen

- 2015 W3C/OGC Spatial Data on the Web WG established
- 2015 UN Sustainable development goals adopted
- 2016 IHO/OGC MOU signed
- 2016 OGC Marine DWG formed
- 2017 Mandatory ECDIS carriage
- 2017 S-100 ed4.0 published
- 2017 UN-GGIM WG on Marine Geospatial Information
- 2017 GEBCO Seabed 2030 launched
- 2017-2020 UN conference on BBNJ / Deep Sea Mining
- 2018 GSDI dissolves its activities
- 2020 EU Blue Growth horizon
- 2030 GEBCO mapping of entire ocean floor concludes



- 1973 The Mobile phone is invented
- 1981 IBM PC released
- 1982 GEBCO world coverage (5th ed) complete
- 1982 The CD-ROM is invented
- 1982 UNCLOS adopted
- 1985 Microsoft Windows released
- 1986 UK Regional research Lab
- 1986 Australian Land Information council set up
- 1988 US National Centre for GI and analysis
- 1989 The worldwide web is announced

- 2000 EU publishes GI2000
- 2001 OGC WMS published
- 2001 Google Earth launched
- 2002 IMO allows ECDIS for navigation
- 2002 OGC WFS published
- 2002 "Towards the semantic geospatial web"
- 2004 OpenStreetmap started
- 2004 Global SDI organization formed
- 2007 IHO MSDIWG formed
- 2007 iPhone released
- 2007 EU INSPIRE directive comes into force
- 2009 IHO C-17 published
- 2010 IHO S-100 and registry 1.0 published
- 2010 Haiti Earthquake - Crowdsourcing
- 2011 1st session UN-GGIM
- 2012 Rio+20 "The Future We Want"
- 2012 Open Data Institute formed



IHO

International
Hydrographic
Organization

Good Practices1 : Data Design for reuse

Data and
Metadata

- Borderless, seamless data is best
- The importance of populated, consistent metadata
- Consistent content – catalogued and classified
- Store once – use many times
- Interoperable implies open standards for distribution
- Identified (persistent, unique identifiers)
- Data integrity – how does your end user know data is unchanged and complete?
- Remember technology comes and goes. Build in the ability to update as standards and infrastructure advance
- Thematic grouping of features



Danish Geodata
Agency

Good practice2: Identifiers

INSPIRE:

- The creation of persistent identifiers for the spatial objects is one of the most crucial challenges in the implementation of INSPIRE and they are essential for the reuse of INSPIRE data by other communities.
- Implementers have to guarantee that the identifiers refer unambiguously to the same resources over time.
- Best practices need to be shared among different actors, aiming to the definition of commonly agreed encoding rules.

<https://bit.ly/2CjXgrw> Data Usability beyond conformance 2017

Identifiers

Identifiers are crucial to the process of sharing information. They are fundamentally important in being able to make connections between data, which puts them at the heart of how we create value from structured data.¹⁰⁸

Geospatial identifiers provide unambiguous labels or reference numbers for the things described in a geospatial dataset, such as lamp-posts, roads, houses, or administrative areas.

Heavily domain specific:

- IHO S-57 uses “FOID” but persistence is not mandatory
- Little interoperability with other domains
- Must be considered when constructing MSDI architecture
- IHO S-100 is looking at MRN (<https://bit.ly/2R3KK7Q>)
- There can be legal implications with Maritime Limits and IDs
- INSPIRE shows regional influences can help define issues




IHO

International
Hydrographic
Organization

Themes: groupings of data for re-use

- Many (M)SDI components group data into “themes” which are designed to enable use of data in a wider context
- Themes use the definition of features to group them by common characteristics
- Theme – a high level categorisation of subject matter (UN-GGIM)
- This can be highly subjective and domain specific however!





IHO

International
Hydrographic
Organization

Themes example 1 – EU

INSPIRE

- Themes grouped into three numbered annexes

ANNEX I

- 2. Geographical grid systems
- 4. Administrative units
- 8. Hydrography
- 9. Protected sites

ANNEX II

- 1. Elevation (includes bathymetry)
- 4. Geology (includes seabed sediments & coastal)

ANNEX III

- 7) Environmental monitoring facilities
- 9) Agricultural and aquaculture facilities
- 11) Area management / restriction / regulation zones (+ CZM)
- 12) Natural risk zones
- 15) Oceanographic geographical features
- 16) Sea regions
- 18) Habitats and biotopes
- 19) Species distribution
- 20) Energy resources
- 21) Mineral resources



Bathymetry

Geology


Seabed

Chemistry

Biology

Physics

Human activities



Danish Geod
Agency



IHO

International
Hydrographic
Organization

Themes Example 2 – UN-GGIM

1. Global Geodetic Reference Framework
2. Addresses
3. Buildings and Settlements
4. Elevation and Depth
5. Functional Areas
6. Geographical Names
7. Geology and Soils
8. Land Cover and Land Use
9. Land Parcels
10. Orthoimagery
11. Physical infrastructure
12. Population Distribution
13. Transport Network
14. Water



UN-GGIM – July 2018



Global Geodetic Reference Frame



Geographical Names



Addresses



Functional Areas



Buildings and Settlements



Land Parcels



Transport Networks



Elevation and Depth



Population Distribution



Land Cover and Land Use



Geology and Soils



Physical Infrastructure



Water



Orthoimagery



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Example: Reuse of hydrographic data

Hydrographic Data for reuse:

- Bathymetry
- Coastline
- Tidal data (heights and streams)
- Oceanographic data (e.g. sound velocity, salinity, temperature, currents)
- Aids to Navigation (e.g. lights, landmarks, buoys)
- Maritime information and regulations (e.g. administrative limits, traffic separation schemes)
- Obstructions and wrecks
- Geographical names (e.g. sea names, undersea feature names, charted coastal names)
- Seafloor type (e.g. sand, rocks, mud)
- Constructions/infrastructure at sea (e.g. wind farms, oil platforms, submarine cables, pipelines)
- Shoreline constructions/infrastructures (e.g. tide gauges, jetties)
- Practice, Exercise and Restricted areas.



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

Focusing on Product elements of data

- Generalisation
- Quality and accuracy
- Subjective qualities – “Obstruction”, “Conspicuous”
- Duplication between providers around the coastline
- Reduction of clutter
- Product boundaries
- Names
- Encoding conventions
- Attribute Detail



Danish Geodata
Agency



IHO

International
Hydrographic
Organization

EU Maritime Spatial Planning (MSP)

Maritime Spatial Planning Framework Directive (2014)

- Promotes:
 - sustainable growth of maritime economies
 - sustainable development of marine area
 - sustainable use of marine resources
 - coexistence of relevant uses and activities
- Takes into account land-sea interactions
- Places obligations on member states to establish maritime spatial plans before 31 March 2021

Ecosystem based approach:

Aims for cross-sectoral and sustainable management of human activities to achieve an ecosystem in good condition - a healthy, productive and resilient condition so that it can provide the services humans want and need.

<https://bit.ly/2Btoc6R> Guideline for the implementation of ecosystem-based approach in Maritime Spatial Planning (MSP) in the Baltic Sea area

EU MSP – a vision for a maritime space

Planning for various reasons

- Environmental protection
- Efficient maritime operations
- Managing activities within and across established limits and boundaries
- Facilitating Blue Growth

Identifies 9 maritime sectors for focus

- Offshore wind energy
- Tidal and wave
- Coastal and maritime tourism
- Marine aggregates and marine mining
- Shipping and ports
- Oil and gas
- Cables and pipelines
- Fishing
- Marine aquaculture.

MSP cooperation at:

1. International Level – UNCLOS, OSPAR, Aarhus
2. EU Level – Legal and Policy Instruments
3. National / Bilateral level
4. Sub-Regional – stakeholder partnerships
5. Local Level – MSP partnerships and coastal Fora

Maritime Spatial Planning (MSP) for Blue Growth <https://bit.ly/2AdPfDp>




IHO

International
Hydrographic
Organization

Marine data management

- Data management – how you manage, control, edit, and transform data before publishing is crucial.
- Integrates SDI elements into working practices
- Often the hardest part of getting data into a form suitable for multiple stakeholders, the “wider use” of MSDI.
- There is no single “formula” or fixed set of principles - a wide range of methodologies, processes and good practices apply. These are adapted into particular domains
- There are also “maturity models” which assess data management practices
- There are common themes





IHO

International
Hydrographic
Organization



Marine data – example data management issues

- Scale

- Rarely uniform in marine data
- Age of collection are often very broad
- What happens at the borders of different scales
- Vertical consistency

- Seamless-ness

- Key differentiator between product-centric and data-centric.
- If I pick data within a point of 1km are there borders included?
- If I do get borders, do the edges match





IHO

International
Hydrographic
Organization

Example S-57 INFORM

Unstructured attribute encoding

- BUISGL | Octagonal
- BUISGL | Small house
- LNDMRK | House
- LNDMRK | Towers
- LNDMRK | Old Tower
- LNDMRK | Lighted
- LNDMRK | House
- LNDMRK | Conical, lower half white, upper half black
- LNDMRK | House
- LNDMRK | Aband light house
- CTNARE | Most features, including bathymetry, are omitted in this area. The minimal depiction of detail in this area does not support safe navigation, mariners should use a more appropriate navigational purpose.
- CTNARE | Unexploded ordnance
- CTNARE | Numerous Platforms

- OBSTRN | Marine Protected Area
- CTNARE | Drilling rigs and pipeline construction in this area.
- OBSTRN | Reported
- OBSTRN | Shoal reported
- OBSTRN | Position approximate
- CTNARE | 27.4 to 31 meters/15 to 17 fathoms reported in 1960
- CTNARE | Unexploded ordnance reported in 1968
- CTNARE | Shoaling
- CTNARE | Unexploded ordnance reported in 1985
- CTNARE | Recommended routing to reduce the likelihood of ship strikes of endangered whales are in effect within this area. See larger scale charts.
- CTNARE | Reported in 1947
- CTNARE | Dangerous shoal





IHO

International
Hydrographic
Organization

Metadata

- Metadata provides information about data holdings in catalogue form
- Organises and maintains an organisation's investment in data acquisition and production
- Coordinated metadata development avoids duplication of effort by making SDI users aware of the existence of data sets
- Metadata is the key to search functionality
- Collection of metadata facilitates good data management
- Reporting descriptive metadata is essential to promote geospatial data beyond traditional boundaries



- Discovery metadata - What data sets hold the sort of data I am interested in
- Exploration metadata - Do the identified data sets contain sufficient information to enable a sensible analysis to be made for my purposes?
- Exploitation metadata – What is the process of obtaining and using the data that are required?

- Metadata drives the most popular SDI usage architecture
- “Publish” – “Find” – “Bind” pattern
 1. Providers publish metadata of their services through a geoportal
 2. Users search and discover results
 3. Users consume data from the providers.



Danish Geodata
Agency

Metadata : ISO19115

- ISO19115 : a popular industry standard for metadata
 - “ [ISO19115] provides information about the identification, the extent, the quality, the spatial and temporal aspects, the content, the spatial reference, the portrayal, distribution, and other properties of digital geographic data and services.” ISO/TC211
- Dublin Core Metadata Initiative - open organization supporting innovation in metadata design and best practices across the metadata community
- FGDC (US) enables access to national SDI data through Content Standard for Digital Geospatial Metadata (CSDGM).



Nutrition Facts	
Serving Size ½ cup (114g)	
Servings Per Container 4	
Amount Per Serving	
Calories 90	Calories from Fat 30
% Daily Value*	
Total Fat 3g	5%
Saturated Fat 0g 0%	
Cholesterol 0mg	0%
Sodium 300mg	13%
Total Carbohydrate 13g	4%
Dietary Fiber 3g 12%	
Sugars 3g	
Protein 3g	
Vitamin A 80% • Vitamin C 60%	
Calcium 4% • Iron 4%	
* Percent Daily Values are based on a 2,000 calorie diet. Your daily values may be higher or lower depending on your calorie needs:	
Calories: 2,000 2,500	
Total Fat	Less than 65g 80g
Sat Fat	Less than 20g 25g
Cholesterol	Less than 300mg 300mg
Sodium	Less than 2,400mg 2,400mg
Total Carbohydrate	300g 375g
Dietary Fiber	25g 30g
Calories per gram:	
Fat 9 • Carbohydrate 4 • Protein 4	



```

<!-- === CI_DateTypeCode === -->
<codeListItem>
  <codeListDictionary gml:id="CI_DateTypeCode">
    <gml:description>identification of when a given event occurred</gml:description>
    <gml:identifier codeSpace="ISOTC211/19115">CI_DateTypeCode</gml:identifier>
  </codeListDictionary>
  <codeEntry>
    <codeDefinition gml:id="CI_DateTypeCode_creation">
      <gml:description>
        date identifies when the resource was brought into existence
      </gml:description>
      <gml:identifier codeSpace="ISOTC211/19115">creation</gml:identifier>
    </codeDefinition>
  </codeEntry>
  <codeEntry>
    <codeDefinition gml:id="CI_DateTypeCode_publication">
      <gml:description>date identifies when the resource was issued</gml:description>
      <gml:identifier codeSpace="ISOTC211/19115">publication</gml:identifier>
    </codeDefinition>
  </codeEntry>
  <codeEntry>
    <codeDefinition gml:id="CI_DateTypeCode_revision">
      <gml:description>
        date identifies when the resource was examined or re-examined and improved or amended
      </gml:description>
    </codeDefinition>
  </codeEntry>
</codeListItem>

```



IHO

International
Hydrographic
Organization

A case study – establishing MSDI

- From National Spatial Data Infrastructure: The Case of the Republic of Korea (<https://bit.ly/2Gofln8>) which documents the Korean development of a national SDI.

SDI component	Lessons learned	Recommendation
Data	<p>In South Korea, an over-emphasis on data accuracy has retarded the development of SDI. Harmonizing a concept of data quality in users' perspective with suppliers' perspective is important for data production, usages and various applications</p> <p>Harmonization of cost with quality is important.</p> <p>The strategies for data updating must be considered during initial data-building to prevent duplicated investment for revision and data updating.</p>	<p>Efforts to bridge gaps between assessing formal institutional data quality and informal real usage for business</p> <p>For example, using digital ortho-photo, satellite image or new surveying technology can be preferable to using traditional surveying methods.</p> <p>For rapid return on investment, the selection of maps at proper scale and decision on data building method will need to be reviewed.</p> <p>Tools such as UFID for efficient and real-time updating will be useful.</p>



Danish Geodata
Agency



IHO

International Hydrographic Organization

Example: obstacles and mitigations



Category	Lessons Learned	Mitigation
Data	Harmonising cost with quality is important and an over-emphasis on data accuracy can impact project timescales. Updating must be considered during initial phases	Ensure realistic goals for data quality levels are reached at outset and appropriate source methods are identified. Use of appropriate tools for updating at an early stage
Standards	Standards take time to develop and delays can impact projects and interoperability	More strategic standardisation efforts and use of external resources like USGS bluebook as “guidance resources”
Technology	Development of appropriate GIS technologies is a high priority	Educational programs for GIS are crucial. Strategic use of open-source technology. Strategic and rapid development of selected technologists for developing countries’ SDI is recommended.
Policy	Balancing Administrators and GIS experts as decision makers. Similarly between GIS and survey community resulting in accuracy prevailing over fitness for use which holds GIS development back.	Legislation at national and local levels is required for SDI defining clear roles and responsibilities. Participation by GIS experts in policy-making is required. Strategic and sustainable master plans for SDI required
Access and Metadata	online and offline distribution networks are essential for successful SDI.	Standards for metadata and data catalogue are required. Encourage adoption of VGI by spreading knowledge of data availability and access.
Applications	Users are making their own GIS applications using Open API services	Master plan should prioritise GIS applications and provide interoperability for them through geoWeb platform
Partnerships	Lack of organisational partnerships	Institutional reorganisation and regulations are required to promote powerful organisational partnerships.

From National Spatial Data Infrastructure: The Case of the Republic of Korea (<https://bit.ly/2GofIn8>) which documents the Korean development of a national SDI.



IHO

International
Hydrographic
Organization

Next Steps – An MSDI involvement plan

Develop a step by step approach for MSDI involvement (from IHO C-17)

- Prepare and define policy (IHO example)
- Identify MSDI “champions” at senior level
- Identify key HO stakeholders and their requirements and build support.
- Identify national and regional initiatives and legislation
- Profile other data providers to the MSDI in detail
- Plan engagement and reach out to other stakeholders and data providers
- Promote the MSDI benefits and opportunities via “white paper”
- Promote benefits internally.
- Develop a work plan to move to data-centric operations. Plan how to address each of the MSDI components

- Organisations which can assist
 - Standards Development Organisations
 - Global working groups
- Testbed projects
- Stakeholders
 - Standards experts
 - National mapping agencies
 - Govt Contacts
 - End Users
 - IHO – working groups and RHC
 - Regional SDI
 - GSDI organisation
 - Scientific
 - Marine/maritime organisations





IHO

International
Hydrographic
Organization

Where am I? – SDI readiness model

- How does an organisation measure SDI readiness?
 - Of itself
 - Of the state or region in which it is located
- There are several models developed
- SDI development / maturity can be measured against a number of factors:

SDI Readiness

A basic seven tier classification system is used — from Extremely High to Extremely Low.
The SDI index is built on measurements of:

- Organisation
- Information
- Human resources
- Technology
- Financial resources

UN readiness toolkit (2017)

- Standardised assessment of SDI readiness
- Based on 9 categories:
 - Policy and Strategy
 - Governance
 - Legal Framework
 - Accessibility and Technical Infrastructure
 - Socio-economic impact
 - Capacity Development
 - Use of NSDI and applications
 - Core UN-GGIM datasets
 - Thematic datasets

INSPIRE “State of Play” (2002-)

Measures whether SDIs (in EU) have five key components of SDI:

- Legal framework
- Geographic data
- Metadata
- Access services
- Standards

Repeated every year and results collated.



Danish Geodata
Agency

This is also an exercise! – Evaluate your SDI readiness – nationally / regionally...



IHO

International
Hydrographic
Organization

Where am I? – Readiness vs Performance

- Are you measuring Readiness or Performance of MSDI?
- Once MSDI is implemented performance should be measured periodically
- This assesses if the SDI is meeting its objectives
- Can flow into periodic requirements for funding required by policy/governance frameworks.

Balanced Scorecard:

Measures and monitors SDI performance over time. Measures:

- **Data and Services:** The availability and access to spatial data via the SDI
- **User Satisfaction:** the level to which the user community is satisfied with data and services
- **Cooperation:** Willingness of stakeholders to participate.






IHO

International
Hydrographic
Organization

Regional: Arctic SDI

- Arctic SDI is a collaborative partner-based effort by the National Mapping Agencies of the eight Arctic Countries
- The Arctic SDI Geoportal allows:
 - Data visualization
 - Access to a searchable Metadata Catalogue
 - The Arctic Topographic Basemap – an authoritative Arctic reference map brought together from National Mapping Agency data
 - Authoritative thematic Arctic map data
 - Services:
 - place name search
 - embedded maps to use in own web sites


<http://geoportal.arctic-sdi.org>



Danish Geodata
Agency



IHO



Danish Geodata
Agency

A data-driven chart of Darwin's voyage of The Beagle. <https://bit.ly/2rJlXXb>