

## ETOPO5 Model of Hudson Canyon: 5' x 5'

---




The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999

## Aliasing: Model 1' x 1' - Model 3" x 3"

---




The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999

# Aliasing and Biases: Model 2' x 2' - NGDC 3'' x 3''


---



The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

# Etopo5 5' x 5' - NGDC 3'' x 3''

---




min = -405 m

max = 799 m

The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

2,000 & 2,500 m isobaths: 3" x 3" & 1' x 1'

17




The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999

2,000 & 2,500 m isobaths: 3" x 3" & 2' x 2'

18




The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999

2,000 & 2,500 m isobaths: 3" x 3" & GEBCO97

19




The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999

2,000 & 2,500 m isobaths: 3" x "3 & Etopo5

20



The impact of seabed roughness on the location of the 2,500 m isobath and the foot of the continental slope by G. Carrera

ABLOS International Conference, IHB, Monaco  
8 September 1999