


### Q1 Which part of the hydrographic world do you represent?


Answered: 9 Skipped: 0



Answer Choices	Responses	
Hydrographic Office	0.00%	0
Software Developer	44.44%	4
ECDIS/ECS Manufacture	55.56%	5
Academia	0.00%	0
NGO	0.00%	0
Other (please specify)	0.00%	0
<b>Total</b>		<b>9</b>

**Q2 Please pick assign a ranking to each of the S-100 Workplan items**

Answered: 9 Skipped: 0




	Most Important	Very Important	Important	Not So Important	Least Important	N/A	Total	Weighted Average
Finalization of S-101 ENC Product Specification	66.67% 6	11.11% 1	22.22% 2	0.00% 0	0.00% 0	0.00% 0	9	1.56
Develop an S-100/S-101 Test Strategy and Test Bed	66.67% 6	22.22% 2	11.11% 1	0.00% 0	0.00% 0	0.00% 0	9	1.44
Monitor the implementation of the 1st draft of S-101 ENC product specification	55.56% 5	11.11% 1	22.22% 2	11.11% 1	0.00% 0	0.00% 0	9	1.89
Connect the S-100 Feature Catalogue Builder to the S-100 GI Register	44.44% 4	22.22% 2	22.22% 2	0.00% 0	0.00% 0	11.11% 1	9	1.75
Maintain and Extend S-100	33.33% 3	0.00% 0	66.67% 6	0.00% 0	0.00% 0	0.00% 0	9	2.33

Development of an S-100 Interoperability Specification	<b>33.33%</b> 3	<b>55.56%</b> 5	<b>11.11%</b> 1	<b>0.00%</b> 0	<b>0.00%</b> 0	<b>0.00%</b> 0	9	1.78
Monitor and coordinate interactions with OGC and IOGP, to ensure proper harmonization in the development of standards	<b>22.22%</b> 2	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>11.11%</b> 1	9	2.50
Liaise with non-IHO constituents, e.g. IALA E-nav Committee, IEHC, JCOMM Expert Teams, DGIWG, ISO, marine navigation and GIS industry, etc.	<b>22.22%</b> 2	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>22.22%</b> 2	<b>0.00%</b> 0	<b>11.11%</b> 1	9	2.38
Update S-99 and the S-100 Registry pages for the registration of S-100 product specifications	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>33.33%</b> 3	<b>22.22%</b> 2	<b>11.11%</b> 1	<b>11.11%</b> 1	9	3.13
Update S-100 GI Register to edition 2.0.0 and re-build the web-interfaces	<b>11.11%</b> 1	<b>22.22%</b> 2	<b>44.44%</b> 4	<b>11.11%</b> 1	<b>0.00%</b> 0	<b>11.11%</b> 1	9	2.63
Develop web-interfaces to propose new symbology to the S-100 Portrayal Register	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>44.44%</b> 4	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>11.11%</b> 1	9	3.00
Review the S-101 Value Added Roadmap annually	<b>11.11%</b> 1	<b>22.22%</b> 2	<b>22.22%</b> 2	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>0.00%</b> 0	9	3.11
Develop Edition 2.0.0 of S-102 Bathymetric Content Specification.	<b>11.11%</b> 1	<b>22.22%</b> 2	<b>11.11%</b> 1	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>11.11%</b> 1	9	3.13
Liaise with IHO subsidiary bodies and subordinate organs, e.g. WNWWS-SC, NIPWG, ENCWG, etc.	<b>11.11%</b> 1	<b>33.33%</b> 3	<b>22.22%</b> 2	<b>11.11%</b> 1	<b>11.11%</b> 1	<b>11.11%</b> 1	9	2.75
Maintain the S-100 section of the IHO website	<b>11.11%</b> 1	<b>33.33%</b> 3	<b>44.44%</b> 4	<b>11.11%</b> 1	<b>0.00%</b> 0	<b>0.00%</b> 0	9	2.56
Review the S-100 Master Plan annually	<b>0.00%</b> 0	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>44.44%</b> 4	<b>0.00%</b> 0	<b>11.11%</b> 1	9	3.13
Develop a Product Specification for Underkeel Clearance Management (UKCM) Information.	<b>0.00%</b> 0	<b>22.22%</b> 2	<b>22.22%</b> 2	<b>22.22%</b> 2	<b>22.22%</b> 2	<b>11.11%</b> 1	9	3.50
Monitor the development of other related international standards	<b>0.00%</b> 0	<b>33.33%</b> 3	<b>22.22%</b> 2	<b>33.33%</b> 3	<b>11.11%</b> 1	<b>0.00%</b> 0	9	3.22

**Q3 What S-100 based Product Specifications currently under development by the IHO interest you the most from either a hydrographic office perspective or from an software developer/equipment manufacturer perspective? (1 being the most important and 14 being the least important). Note, only one response per column is allowed.**

Answered: 9 Skipped: 0




	1	2	3	4	5	6	7	8	9	10	11	12	13	14	N/A	Total	Weighted Average
S-101 - Electronic Navigational Chart	77.78% 7	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	22.22% 2	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	3.00
S-102 - Bathymetric Surface	11.11% 1	33.33% 3	22.22% 2	11.11% 1	0.00% 0	11.11% 1	0.00% 0	0.00% 0	11.11% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	3.56
S-104 - Tidal Information for Surface Navigation	0.00% 0	25.00% 2	25.00% 2	25.00% 2	12.50% 1	0.00% 0	12.50% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	8	3.75

S-111 - Surface Currents	0.00% 0	0.00% 0	25.00% 2	12.50% 1	0.00% 0	0.00% 0	25.00% 2	12.50% 1	12.50% 1	0.00% 0	12.50% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	8	6.50
Under Keel Clearance Management	11.11% 1	11.11% 1	0.00% 0	11.11% 1	22.22% 2	0.00% 0	0.00% 0	0.00% 0	11.11% 1	0.00% 0	0.00% 0	0.00% 0	11.11% 1	11.11% 1	11.11% 1	9	6.63
S-112 - Dynamic Water Level Data	0.00% 0	11.11% 1	0.00% 0	0.00% 0	11.11% 1	22.22% 2	11.11% 1	22.22% 2	22.22% 2	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	6.67
S-124 - Navigational Warnings	0.00% 0	0.00% 0	11.11% 1	11.11% 1	22.22% 2	0.00% 0	0.00% 0	22.22% 2	0.00% 0	22.22% 2	0.00% 0	11.11% 1	0.00% 0	0.00% 0	0.00% 0	9	7.22
S-125 Navigational Services	0.00% 0	0.00% 0	0.00% 0	12.50% 1	25.00% 2	0.00% 0	12.50% 1	25.00% 2	0.00% 0	0.00% 0	12.50% 1	0.00% 0	0.00% 0	12.50% 1	0.00% 0	8	7.75
S-103 - Sub-surface Navigation	0.00% 0	22.22% 2	11.11% 1	0.00% 0	0.00% 0	11.11% 1	0.00% 0	0.00% 0	0.00% 0	11.11% 1	0.00% 0	11.11% 1	0.00% 0	22.22% 2	11.11% 1	9	7.88
S-122 - Marine Protected Areas	0.00% 0	0.00% 0	0.00% 0	11.11% 1	11.11% 1	0.00% 0	11.11% 1	11.11% 1	11.11% 1	33.33% 3	11.11% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	8.22
S-121 - Maritime Limits and Boundaries	0.00% 0	0.00% 0	11.11% 1	11.11% 1	0.00% 0	0.00% 0	22.22% 2	11.11% 1	0.00% 0	0.00% 0	22.22% 2	11.11% 1	11.11% 1	0.00% 0	0.00% 0	9	8.44
S-123 - Radio Services	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	28.57% 2	14.29% 1	0.00% 0	14.29% 1	14.29% 1	14.29% 1	0.00% 0	0.00% 0	14.29% 1	0.00% 0	7	9.00
S-127 Traffic Management	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	25.00% 2	0.00% 0	0.00% 0	25.00% 2	0.00% 0	0.00% 0	25.00% 2	12.50% 1	12.50% 1	0.00% 0	8	10.13
S-126 Physical Environment	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	12.50% 1	12.50% 1	62.50% 5	12.50% 1	0.00% 0	8	12.75

**Q4 What Product Specifications that are under development from outside of the IHO interest you the most from a Hydrographic Office or software developer/equipment manufacturer perspective? (1 being the most important and 8 being the least important). Note, only one response per column is allowed.**


Answered: 9 Skipped: 0



	1	2	3	4	5	6	7	8	N/A	Total	Weighted Average
S-412 Weather Overlay	22.22% 2	22.22% 2	44.44% 4	11.11% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	2.44
S-401 - Inland ENC	22.22% 2	44.44% 4	11.11% 1	11.11% 1	0.00% 0	11.11% 1	0.00% 0	0.00% 0	0.00% 0	9	2.56
S-201 Aid to Navigation Information	44.44% 4	11.11% 1	0.00% 0	22.22% 2	22.22% 2	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	2.67
S-411 Ice Information	11.11% 1	22.22% 2	22.22% 2	33.33% 3	11.11% 1	0.00% 0	0.00% 0	0.00% 0	0.00% 0	9	3.11
S-210 Inter-VTS Exchange Format	0.00% 0	0.00% 0	0.00% 0	11.11% 1	44.44% 4	22.22% 2	22.22% 2	0.00% 0	0.00% 0	9	5.56
S-230 Application Specific Messages	0.00% 0	0.00% 0	22.22% 2	11.11% 1	0.00% 0	22.22% 2	22.22% 2	22.22% 2	0.00% 0	9	5.78
S-245 - eLoran ASF Data	0.00% 0	0.00% 0	0.00% 0	0.00% 0	11.11% 1	33.33% 3	11.11% 1	44.44% 4	0.00% 0	9	6.89
S-240 DGNSS Station Almanac	0.00% 0	0.00% 0	0.00% 0	0.00% 0	11.11% 1	11.11% 1	44.44% 4	33.33% 3	0.00% 0	9	7.00

**Q5 Do you feel that TR 2/2007 adequately covers the standards development lifecycle for the IHO?**


Answered: 8 Skipped: 1



Answer Choices	Responses
Yes	62.50% 5
No	37.50% 3
<b>Total</b>	<b>8</b>

**Q6 Do you feel that the maintenance of S-100 should be put into a timed lifecycle? For example, S-100 will publish a full new edition every X number of years that will include any new extensions.**

Answered: 9 Skipped: 0




Answer Choices	Responses	
Yes	88.89%	8
No	11.11%	1
<b>Total</b>		<b>9</b>



**Q7 If you answered Yes to the previous question, what is the appropriate timespan between new editions of S-100?**

Answered: 8 Skipped: 1



Answer Choices	Responses	
2 years	37.50%	3
3 years	25.00%	2
4 years	12.50%	1
Other (please specify)	25.00%	2
<b>Total</b>		<b>8</b>

**Q8 Do you have any other comments, questions, or concerns for consideration by the HSSC Chair Group?**

Answered: 5 Skipped: 4