



Hydrographic Services and Standards Committee

## **S-100 Product specification Identifiers**

Barrie Greenslade

UKHO, Chair TSMAD WG

# TSMAD Proposal

<b>Producer Identifier</b>	<b>S</b>
<b>Organization</b>	<b>International Hydrographic Organization</b>
<b>Example Identifier</b>	<b>S-101</b>

<b>Producer Identifier</b>	<b>A</b>
<b>Organization</b>	<b>Acme Authority</b>
<b>Example Identifier</b>	<b>A-125</b>

<b>Producer Identifier</b>	<b>SE</b>
<b>Organization</b>	<b>Space ECDIS Authority</b>
<b>Example Identifier</b>	<b>SE-2001</b>



# HSSC Chair Proposal

- ✦ Conventional Name /Abbreviation for the custodians of product specifications e.g. IHO, IALA, IEHG (no limitations for the number of characters)
- ✦ S-xxx (“S” as neutral abbreviation for “Standard” followed by a number of three digits). The three digit numbers are assigned from S-100 Maintenance WG as IHO Body who manages the GI-Registry.



# Problems or outstanding issues

- ★ Reserved blocks of numbers for the different custodians:
  - IHO 101 – 200
  - IEHG 201 – 300
  - IALA 301 – 400
  - All others 401 – (Block reservations may extend beyond 401 if required in the future)



## Examples:

IHO S-101 (next Generation ENC)

IEHG S-201 (next Generation Inland ENC)

IALA S-301 (VTS-Communication)

ABLOS S-401 (Maritime Borders)

JCOMM S-402 (Ice Information)

The rule for assignment within the designated blocks of numbers is “first come – first served”.

